

NIGERIAN JOURNAL OF ENGINEERING RESEARCH UNICROSS (NJERU)

Volume 1, Issue 2, 1st June, 2024

DESIGN AND DEVELOPMENT OF GROUNDNUT PEELING MACHINE

David Olusola Fakorede a,*, Simon Ogbeche Odey b, Omini Okon Jimmy c

^{a,c}Department of Mechanical Engineering, University of Cross River State, Nigeria ^bDepartment of Wood Products Engineering, University of Cross River State, Nigeria

*Correspondence Author: solchel_david@yahoo.com

.....

Received: 10th July, 2024 Reviewed: 14th August, 2024 Accepted: 20th October, 2024

.....

Abstract:

Significant variations in the economic importance of groundnuts for domestic and industrial purposes exist. Groundnuts are energy demanding and time consuming, an effective machine for the separation is developed. The machine employs a fibre sub-component in the peeler engine which is responsible for the peeling. The machine basically comprises of hopper, peeling chamber with sub-component (fibre), sifter (separator), 220 Volt AC motor, and a chaff container respectively. The machine is powered by the 220 AC motor with 1 HP providing a revolution of 120 rpm and manually controlled in the absent of power providing a revolution of 90 rpm. The materials used in the fabrication of the machine were sourced locally so as to ensure that the machine is cheap, affordable, and easily maintain by peasant farmers. Performance investigation carried out shows a good performance of the machine with a peeling efficiency, unpeeled efficiency, machine damage efficiency, cleaning efficiency and output capacity of 90%, 6.5%, 8%, 90% and 80kg/hour respectively, for groundnut seeds with 86.5% dryness. The result of the study also shows that the machine will be more suitable in today's groundnut farming with and without the presence of power to reduce stress, waste of resources, and increasing productivity.

Keywords: Groundnut, peeling, machine, traditional, researches, performance.

I. INTRODUCTION

Agriculture has been the back bone of the economy of some countries in the world. Many of the farmers work day and night for growing crops [21]. In regards to the changes in climate conditions, farmers cultivate diversity of crops, which groundnuts is included. (The scientific name of groundnuts is (Arachishypogaea). It appears inclusively in the plan tree of fabaceae. The condition more favourable in growing this crop is dry climate. The major parts of the groundnut include: shell, cotyledon, coat, radical and plumage, seed. It has much importance such as food (peanut butter, peanut flour, boiled nuts, (peanut oil etc). Groundnut has been a major source of economic empowerment for a lot of farmers and countries, this chapter discusses the relevance of groundnut and work done by different researchers. According to [14], groundnut is the sixth and most important oilseed crop in the world. It contains almost 50% of oil and 28% of protein, 10.2% of sugar, 500-600 calorific worth and 40.5% fat, and it is an extensive source of dietary fibre, minerals and vitamins. It grows more on soils that are well depleted, textured and well supplied with calcium, potassium and phosphorous. Over 100 countries and more grow groundnut. According to [17], groundnut is of the ultimate important to the oilseed crop worldwide. There consist of so many groundnut propagating countries in the world but only few are major producers like, China, Nigeria, India Sudan, Burma, Senegal and the United States of America with a world average yield of 1.4 metric tonnes per hectare.

According to [4], attributes of groundnut are their morphology, physical and mechanical properties such as variety, size dimensions, coefficient of friction, angle of repose cracking stress and moisture content, Properties of seeds in machine design are seen as

significant parameters use in determining the parameters of the machine. They are required when solving problems associated with machine design and also in analysis of the characteristics of products in agriculture. Dimensions such as arithmetic mean diameter, geometric mean diameter, aspect ratio and sphericity describing the size and shape of the seed which influence its characteristics in flow ability.

According to [11], identified the physical behaviour related to varieties of groundnut developed by the International Crops Research Institute during the Semi-Arid Tropics (ICRISAT) in Kenya. Results from similar research shows how large sized of varieties resulted into higher peeling efficiencies than their little sized counterparts for the same concave clearance and feed rate. According to [2] studied the size of groundnuts by carrying out measurement that shows their principal axial dimensions. The average major diameters of kernels were discovered to be 8.54mm, 6.93mm and 3.55mm respectively. Angle of repose of kernels on wooden surface was found to be 170 degrees. Behaviour of two divers of groundnut used has been practicalize and measured. The damp level of kernel relates to water quantity stifle in the kernel. According to [12], showed that peeling efficiency rises with reduction in wet stable for all varieties of groundnut studied. According to [9], observed out that growth in damp level leads to a rise in all angles of half of groundnut grain. Outcomes from practical's for Bambara nuts express that damp level has maximum result on production than feed rate. Thus, percentage grain damage rises with accretion in wet content while peeling order reduces with rise in damp content. According to [20], presented a feasible simplification of the consequence that when the wet standard rises. the efficiency reduces since the peeled become friable, tending to be stiff instead of cracking and crumbling therefore leading to a maximum proportion of unpeeled groundnuts.

According to [20], survey the ideas which involve the feed rate rising with depressed consent. This was construe that the bigger the opening in the chamber the more peels that can be in surge per peeler. Trials on a guide peeler display that in pair of wood scull peelers, rubber, tyre and feed rate of between the average of 100 kg/hr and 75 rpm does not convincing affect peeling production. According to [3], energy consumption in soy bean and cowpeas threshing is directly proportional to feed rate and tip cylinder speed irrespective of concave clearance.

According to [10], malnutrition is decrease with the aid of groundnuts because it contains extra proteins and energy. Groundnuts are practical for oils extractions, while removing oil from the groundnut,

the dissipate produced is feed to the animals. It is applied in the industry in production of lubrication oil. vanish, paints, leather dressing and furniture polish. It is also otherwise used for heating oil purpose. Groundnut's peeling is a basic procedure, it permits the kernel and hull to be present for utilization. It contains up to 38% of post reaping costs [7]. Peeling by tradition has been found to be ineffective in consuming time and outcome in small production [12]. Hence, the need for motorised peelers is required. [1], the factors that affect influence groundnut peelers are classified into three basic types. Machine based which involve cylinder speed, concave clearance and fan speed, crop factors. The design is very simple and ecofriendly which uses simple mechanism properties such as peeling system, automatic separating system and crushing chamber etc The essence of this work is to reduce cost, make work easier, and to make this machine accessible to the local farmers.

There consist of two types of sieves which is consistently exercise namely; the wire mesh sieve and the slotted grate sieve. The choosing of sieve size is selected situated on the capacity of groundnuts to be peeled. The wire mesh size is applied through the practical's for manual peelers. The development of a groundnut peeler with a dimension of 34.5 kg/h, a hollow made of circle shape steel bars of 4.99 mm. [13], after the presentation that shows wire mesh sieve was better than the slotted grate. [11], Groundnut peels are dissolute when they get implant in the space between peeling blades and the hollow sieve where the peeling will be taken place, abrasion forces either singly or in combination with each other. The characteristics of the blades can likely affect peeling performance including: their shape, the figures placed on a material type. [13], discover that the efficiency of peeling, using rubber covered drum was smaller than that of pair steel and wooden drum. For peelers harness rowers, grain demolition due to wood propellers was found to be considerably less than that due to rubber covered paddles, while the difference in peeling efficiency was relatively small. According to [12], determined that peeling efficiency is relatively higher in steel rod beater peelers than wooden beater peelers as far as the number of beaters is concerned. [13], determined that an increment in number of drum beaters from 4 to 8 increased peeling efficiency at low drum speeds of 1.83 m/s and 4.58 m/s. Studies by [15], on pea peeling, employing L-shaped blades to provide maximum rubbing action, centrifugal impellers or rollers which revolve in counter directions are utilized in peeling kernels with hard pods. [23], designed and fabricated the pedal operated groundnut crusher. It is a manually operated groundnuts peeler. The pedal is used for moving the crusher. There will be no energy

loss and the cost of production is less. And it is less maintenance cost. [22], designed and fabricated a groundnut shelling machine. Experiments were performed with peanuts. Since this machine is made for small businessman or farmers. The purpose of decocting the groundnut is to make it affordable in case of cottage sector projects. The "groundnut peeling machine" can be applying cottage industry or even a former can also take profit from this machine. The decocting process of groundnut by this machine is more cheap and faster than manual process or any other processes. Therefore, by concluding this project, we have actualized that the "groundnut peeling machine" will save sufficient time, energy, manpower, and save financial input of the project, reducing the cost and time considerably which is the backbone of the present world economy. The weight of the machine is low it is handy to use and easy to move anywhere at the farms. Also, its cost is low and affordable for the farmers.

II. METHODOLOGY

The peeling machine works with the mechanism that peels and separates the peeled groundnut grains from the chaffs (peelings). Measuring from the top to down as 1100mm height (hopper to sifter); 400mm breadths and 340mm in width (figure 1) present the processes involve in the design and fabrication of a groundnut peeling machine, the major steps considered were the design calculation, material selection, cutting/fabrication and the component obtained from these processes are the relevant part of the machines which are: the hopper, the peeler, a 220ac motor, and the sifter respectively. Hence, the hopper, peeler, ac motor and sifter were used to commence the fabrication of the groundnut peeling machine after which the final fabricated machine was test run. Note that the main parts in the machine is electric motor, the motor is the major component that drives the machine with the help of the electric current, the voltage of the selected electric motor has to be suitable. If the electric motor is suitable then proceed for the fabrication. Another component such as the hopper, peeler and the sifter directly calculated and fabricated. A CAD design of the work is shown in Figure 2




Figure 1. Design and fabrication processes




Figure 2. CAD design of the machine

A. Components and Specifications

The selected material part used in fabrication of groundnut peeling machine are displayed. The major components are: the hopper, the peeler, an AC motor and sifter. The machine also consists of other various parts that constitute the body of the machine, this component are primarily built within the machine, they are combining together to carry out a good quality work. Figure 3 shows the bill of material work of the various component of the machine, these components are:

• Hopper

- Peeler
- AC Motor
- Sifters
- AC to DC 12 VOLT converter
- Chain and Sprocket
- Hot air and cool air blower etc.

The material used especially for internal mechanisms are stainless and galvanized metal plate to avoid rust (iron-oxides) in case of water penetration.

B. Design Calculation of Function

The design calculation of function shows the working principle of the machine according to observation during the simulation of the working process as carried out in solids work. Some functions calculations used consist of: Energy consumption, Shaft calculations, and Shaft subjected to combined torsion and bending. Hence, they consist to determine a proper mechanism of the machine.

Design of Chain: The design parameters include

$$N1 = 1440 \ rpm \ N2 = 240 \ rpm \ Pd = 0.5HP$$

$$= 372.85 W = 0.307285 \ \text{[KW]} \ \text{_Droller}$$

$$= 14inch = 355.6 \, mmW = 30 \, kg = 30 \times 9.81$$

$$= 0.37285Kw = 372.58w$$

Designation of chain is "A"

Width (w)=13mm

Thickness(t) = 2mm

Sprucket Dia.=79mm (D1)

Tension factor (kc) =2.52

Power per Belt: These parameters include

Power/belt =
$$(Fw - Fc) \times (e\mu\theta/\sin(\alpha/2) - 1/e\mu\theta/\sin(\alpha/2) * Vp)$$
 Vp) (1)

Were

$$Vp = \pi \times 79 \times N1/60 \times 1000 = 4.22 \text{ m/sec}$$

 $\mu = coefficient of friction$

$$= 0.5\pi \times D2 \times N2/60 \times 1000$$
$$\times 4.22$$

 α = cone angle = 24 degree

 $\alpha/2 = 24/2 = 12$

$$.\theta_{\text{mean}} = \pi - \times \left(D2 - \frac{D1}{C}\right) = \Pi - \left(470 - \frac{79}{525}\right) = 3.00 \text{ rad}$$

3.00 rad

$$Vp = \frac{\pi \times D2 \times N2}{60 \times 1000 \times 4.22} = \frac{\pi \times 240 \times D2}{60 \times 1000}$$
(3)

Centre distance

$$C = D1 + D2 = 79 + 470 = 549 \text{ mm}$$
 (4)

$$e^{\mu\theta}/\sin(\alpha/2) = e^{0.\times 2.43}/\sin(18) = 10.5$$
 (5)

Now.

$$Fw = w2 = 132 = 169$$

Fc = Centrifugal tension (N) =
$$kC \times (vp/5)^2$$

$$= 2.52 \times (5.65/_{5})2$$

$$= 3.2177$$
 (6)

power/_{chain} =
$$(169 - 3.2177) \times (10.581 - 1/10.581) \times 5.65$$

$$\frac{\text{power}}{\text{chain}} = 848.146 \text{ W/chain}$$
 (7)

Number of chain (n):

$$n = \frac{Pa}{power} = \frac{372.85}{848.146} = 0.43 \approx 1 \text{ Therefore } n$$
= 1 (8)

Cross section of chain: These parameters include For designation A

$$b = 3.3 \, mmh = 8.7 \, mme = 15 \, mmf = 9 - 12$$

= 10

To calculate length of chain

$$l = \pi/2 \times (D1 + D2) + 2C + ((D1 - D2) 2/4c)$$

$$l = \pi/2 \times (75 + 450) + 2 \times 525 + ((75 - 450)2/4 \times 525)$$

$$l = 1941063 mm$$

Width of Gear: These parameters include

$$= (n-1) \times e + 2f = (8.7-1) \times 15 + 2(10)W$$
$$= 135.5mm \tag{10}$$

Design for Sprocket or Gear: These parameters include

$$Ds = 19mm$$

Calculate hub properties: These parameters include a) Diameter (Dh) = 1.5ds + 25 mm

$$= 1.5 \times 19 + 25 (Dh)$$

= 53.5mm (11)

(b) Length (lh) =
$$1.5ds = 1.5 \times 19 Lh$$

= $28.5mm$
 $GEAR = 2$

Design for Construction: These parameters include $At \ d2 = 450N2 = 240W = 135.5mm$

So, arm construction

$$N = 4 \text{ no. of arm}$$
 No. of sets = 1

Moment of each arm: These parameters include

$$M = \frac{(T1 - T2) \times (D2 - DH)}{H}$$
 (12)

Now tension in chain

Chain tension
$$(T1&T2)(T1-T2) = Pd/RP$$

= 327.85/58.65 (13)
 $T1-T2 = 6.29$

But, Chain tension ratio

$$T1/T2 = T1 = 2.34T2 (14)$$

Put in equation at (A)

$$2.34T2 - T2 = 65.99$$
 $T2 = 49.24N$
Then.

$$T1 = 65.99 + T2$$
 $T1$
 $= 65.99 + 49.24$ $T1$
 $= 115.23N$
 $M = M = 6541.258$
 $But, \sigma = m/2assume \ \sigma = 155 \ mp$ (15)
 $Z = m/\sigma = 6541.250/15 = 436.08$
 $Now, Z = \ mb \ ^3/9(3.16)$
 $= 436.08 = b = 10.36mm$
Face width: These parameters include
 $w = 1.1b = 1.1 \times 10.36w = 11.39mm$
 $Rim \ thickness:$
 $t = 0.375 + 3t = 0.375 + 3d \ t = 10.95mme$ (16)
 $According \ to \ the \ motor \ specifications: \ voltage: 220$
 $- 260 \ volt \ Current \ (amp): 2 \ amps \ RPM: 1400$
 $Capacity: 1/4$
 $HP \ Power: These \ parameters include
 $P = V \ P = 250 \times 2 = 500 \ Watt$ (17)
 $We \ know \ that \ P = 2NT/60$
 $T = P \times 60/2N$
 $T \ SHAFT = 500X60/2$$

We know that
$$P = 2NT/60$$

 $T = P \times 60 / 2N$
 $T SHAFT = 500X60/2$
 $= (15000) Rpm - N$
 $= 4.3 N - m$

Energy consumption: These parameters include $E\ IN\ KWH\ =\ P\ imes\ TIME$ (18) $= 500 \times 24$ = 12000 W - hour/day= 12.00kw - hour/day

For month, $= 12.00 \times 30 \, kw - hour/month$ = 360.3 kw - hour/month1 – unit cost is 8.5 rupees $= 360.3 \times 8.5 = 3062.55 /- per Month.$

Shaft calculations: These parameters include

We have diameter of hollow shaft as follows

 $Outer\ diameter = 30mm$ $Inner\ diameter = 23mm$

The shaft experienced with two moments bending mome $T/J = \tau/R$

We know that T = 3.7 N - m= 3062.55 N - mm $= x/30((30^4) - (23^4)^4 = 26333.18 mm$ $= 3062.55/26333.18 = \tau/20$

 $\tau \, shaft = 3062.55x20/26333.18$

 $= 234 N / \sqrt{mm} \sqrt{n}^2 2$ Bending stress = $M/I = \sigma/Y$

Bending stress due to self - weight = 5kg Weight = $5 \times 9.81 = 49.1 N$ $Stress(\sigma) = P/A$

$$= x/64 ((\mathbb{Z}30) \mathbb{Z}^{4} - (\mathbb{Z}23) \mathbb{Z}^{4})$$

$$= 8835.98 \mathbb{Z}mm \mathbb{Z}^{2}$$
Bending moment $(M) = (\sigma X I)/Y$ (21)

Shaft subjected to combined torsion and bending: These parameters include

 $= (0.4X\ 26333.18)/20 = 526.66\ N - mm$

$$\tau \max = (16 x d0 / \times ((\mathbb{Z}d_{-0}) \mathbb{Z}^{4} - (\mathbb{Z}d_{-i}) \mathbb{Z}^{4})$$

$$- (\mathbb{Z}d_{-i}) \mathbb{Z}^{4})$$

$$- (\mathbb{Z}2)$$

$$(M)2 + (T)2$$

$$= (16 \times 30 \times 3062.55) / \times ((\mathbb{Z}30) \mathbb{Z}^{4}$$

$$- (\mathbb{Z}23) \mathbb{Z}^{4})$$

$$= 2.77N / \mathbb{Z}mm \mathbb{Z}^{4}$$

$$= 2.77N / \mathbb{Z}mm \mathbb{Z}^{4}$$

$$\sigma \max = (16 \times d0 / \mathbb{Z} ((\mathbb{Z}d_{-0}) \mathbb{Z}^{4}$$

$$- (\mathbb{Z}d_{-i}) \mathbb{Z}^{4}))(M) + (M)2$$

$$+ (T)2)$$

$$= 16X30(3062.55) / \times ((\mathbb{Z}30) \mathbb{Z}^{4}$$

$$- (\mathbb{Z}23) \mathbb{Z}^{4}) = 2.77 N / mm$$

Design Drawing of the Equipment

Component design of the conceived groundnut peeling machine equipment was carried out using CAD software, revealed the drawing as shown in Figure 3.




Figure 3. CAD designed drawing of the groundnut peeling equipment showing its parts.

III. RESULTS AND DISCUSSION

Description of the Equipment

The groundnut peeling machine has five segments from top to down that is, Hopper, motor housing, peeler, sifter and collecting-can but three major components and they are: component is primarily built within the machine, they are combining together to

Hopper

This is a container that empties its contents into the peeling chamber at the bottom. Its dimensions are 300mm high, 360mm long and 340mm wide. The hopper also has a protruding end used to empty the grains to the peeler.

C. Peeler

This is the component that peeling is taking place within the system. It is the peeling mechanism that consists of sub-component parts.

Outer cylindrical casing: This is the housing for the peeling chamber.

Restraining fulcrum-can: It receives grains from the hopper and helps in restraining the grains by regulating their flow to the peeling chamber by the way of its inner spiral design.

Tapering Peeling Chamber: It is the mechanism that actually peels the fried ground-nuts. The peeling mechanism has a metal fulcrum with spikes and a meta-fulcrum with spongy-fibre; and metal-fulcrum with spiral-element that controls the flow of ground-nut grains into peeling chamber.

The spikes gadget (metal fulcrum) is stationary while the spongy-fibre gadget is rotary when operated; Distance between two spikes is 5.0mm, the height of a spike varies between 0.5mm and 1.0mm, the spongy-fibre is conically and spirally fitted, the metal spikes and spongy-fibre gadgets are fitted closely together in their conical casings which are being encased altogether by the outer cylindrical housing.

D. 220 Volt AC Motor

It is used to motorize the peeler automatically. It has a 20 tooth-gear driving the peeler attached with a 40 tooth-gear.

The Manual Handle: the peeling work can be done manually by using the handle. Separate Stand: the peeler is built in a way it can be separated from the sifter and fixed in a special and separate stand while using automatically or manually.

Measurement of the Peelers Parts:

- The outer cylindrical casing is 190mm diameter and 260mm in length.
- The conical-fulcrum spike casing is measured 180mm and 150mm in their respective end diameters and its length is 210mm.
- The peeling mechanism has two-end framesupport with covers, 90mm by 340mm (rectangular) each.
- The spongy-fibre casing inside, measured 120mm in diameter, 90mm in diameter for both end-diameters with its length 210mm.
- The restraining fulcrum-can is 90mm in diameter and 60mm in diameter for both end-diameters and 210mm in length.

E. Sifter

The sifter is the mechanism that separates the grains (peeled groundnuts). The sifter is built with subcomponent parts.

- Two (2) pairs of two-opposing movable sieves: the sieves shake off the grains after peeling to the stationary sieves and trap the chaffs into the Moveable retaining-can through them meshes (spoke network).
- Three (3) sets of stationary sieves with cans: they allow the peeled grains to run over them while trapping the chaffs (barks) into their stationary training-cans through their meshes, all sieves both stationery and movable are sloppy in their framework.
- Pair of chaff-evacuators: The two chaffevacuators empty the chaffs from stationary retaining-cans by the action of running strings'.
- Four (4) sets of cogwheels (racks and pinions): they help to synchronize the backward and forward movements of a pair of moveable sieves.
- The sifter is measure 360mm in height, 150mm in width and 400mm in length.
- Cogwheel is measured 400mm in length, 45mm in width and 25mm in height with inbuilt racks and pinions.
- Movable sieve with can is measured 150mm by 120mm

The sample (unpeeled groundnut) for the test running was bought from the market. It was sun dried at a temperature of 30oC for one day to further remove the moisture content. In Table 1, the following parameters were considered: weight (wt.) of sample. wt. of peeled groundnuts, wt. of undamaged groundnut seed, wt. of damage groundnut seeds, time of peeling operation, total sample reading and mean reading. The test running of the system was carried out and the following results were observed, wt. of sample, wt. of peeled groundnuts, wt. of undamaged groundnut seed, wt. of damage groundnut seeds and Time of peeling operation were 940gms, 865gms, 621gms, 315.58gms and 804gms respectively. From the report, the result achieved was used to calculate the total sample reading (sum of the parameter figures) and the mean reading (the average figures of the parameters), the mean reading was further used to calculate the efficiency of the groundnut peeling machine. The sample readings are tabulated in Table 1.

TABLE I TESTING TABLE

Sr. No	Total Wt. Of Grou ndnut In gms (Qt)	Wt. Of Peel ed Gro und nut In gms. (Qs)	Wt. Of Undam aged Ground nut Seed In gms. (Qu)	Wt. Dama ge Grou ndnut Seed In gms (Qd)	Tim e To Peeli ng Ope ratio n In Seco nd (tm)
1	235	21	142	88	18 6
2	235	0 22	149.5	77. 9	8 21
3	235	21 5	163.9 1	72. 18	5 22
4	235	9 21	166.5	77. 5	5 17
TO TA L	940	86 5	621.9	315 .58	80
ME AN	235	21 6.25	155.4 7	78. 895	20

From test running, it's observed that time and money can be saved by using groundnut peeling machine. If 1kg of groundnut is filled in the groundnut hopper an output of 0.8 kg of peeled seeds will be achieved. Also, if 5kg of groundnut is filled in the groundnut hopper, an output of 5.8 kg of peeled seeds will be achieved. With this process, the higher the input the greater output in very short time. If a large amount is filled in the machine hopper a more output from machine with a minimum wastage will be achieved. groundnut hopper and output of 40 kg of peeled seeds is achieved.

Peeling efficiency (%)
$$= [Qs / Qt] \times 100 \qquad (24)$$

$$= (216.25 / 235) \times 100 = 92.02 \%$$
Material efficiency (%)
$$= [Qu / ((Qu + Qd))] \times 100 \qquad (25)$$

$$= [155.47 / ((155.47 + 78.89))] \times 100$$

$$= 66.33\%$$
Mechanical damage (%)
$$= [Qd / (Qu + Qd)] \times 100 \qquad (26)$$

=
$$[78.89 / ((155.47 + 78.89))] \times 100$$

= 33.66%
Throughput capacity $\left(\frac{kg}{h}\right) = \left[\frac{Qs}{Tm}\right]$ (27)
= $216 / 201 = 1.075 kg/hrs$

Finally, the groundnut peeling machine is better option for farmer instead of manually operated. The demands atomize peeling machine of farmer & other customers will be also considered while designing machine. Purpose of fabrication of the peeler was to determine the suitability of machine for farmer's use. Experiments were performed with groundnut. Since this machine is made for both small business and large farming system, therefore the work carried out by this machine is more. In comparison these "Groundnut peeler" is very cheap. Also, visualization shows that this "GROUNDNUT PEELING MACHINE" is the most critical equipment for the future growth and development of cottage sector projects. The "GROUNDNUT PEELING MACHINE" can be used in cottage industry or even a farmer can also take benefit from this machine. The peeling process of groundnut by this machine is more economical and faster than manual process or any other processes.

Hence figure 3 present the final completion of fabrication of the machine.

From the above problems been identified, we have equally certified that if our production is effectively invested on it may one day cover the global market as Nigeria may be independent in the farming system of groundnut, and may also become a large supplier of this particular production.

IV. CONCLUSION

The cost of the machine is affordable and can easily be purchase by local farmers; if bought by the farmer, the tendency of recovering the invested money will be very high. The total involvement of this machine in both local and mechanise farming; the problem of the labour crises can be reduced. Comparing with manual harvesting, only a single labour is required. It makes the process faster, easy and productive, hence reduces most of the peeling tie and labour cost. This machine is helpful for both small and big farms. It can be used for both domestic and industrial purposes. It is also a two ways operational machine which consists of manually operated process and electrically operated process. This machine has the tendency of creating job opportunities, the process of operation is very easy likewise the cost. The machine is manufactured using the engineering principles. The machine is power operated, so less numbers of labours is required and it saves the time. The higher separating efficiency is obtained using this machine. The machine is portable because of its light weight. The procedure to operate the machine is simple, hence no skill labour is required to operate the machine. The machine can be used for domestic application as well as small scale industries. Additional features such as wheels, flow rate sensors can be added to modify the machine. The above design procedure is been adopted for the fabrication of Automatic Groundnut Sheller machine which will make the product durable for long time as well as make it efficient also helps to understand the concept of design. Thus, with help of this design we can fabricate an automatic groundnut peeler machine to simply achieve high volume of profit as well as to reduce the human fatigue.

V. ACKNOWLEDGEMENT

This project study was sponsored/funded by Tertiary Education Trust Fund (TETFund) Institution-Based Research (IBR) of the Cross River University of Technology, Calabar (now University of Cross River State, UNICROSS, Calabar), Nigeria. We are highly grateful for the TETFund IBR Grant.

References:

- [1] Abubakar, M., and Abdulkardir, B.H. Design and evaluation of a motorized and manually operated groundnut shelling machine. International journal of emerging trend in engineering and development 4(2):673-682. 2012.
- [2] Akcali, I. D., Ince, A., and Guzel, E. Selected physical properties of groundnuts. International Journals of food properties, 9(1): 25-37. 2006.
- [3] Amadu, N. Development and performance evaluation of an improved soybean thresher. Unpublished, Zaria, Nigeria, Department of Agricultural Engineering, 35(2): 25-47. 2012.
- [4] Amao, F. Modification and evaluation of a groundnut cracker for cracking jatropa curcus seeds. Unpublished master's thesis, kwame Nkrumuh University of Science and Technology, department of Agricultural Engineering, 35(2):25-47. 2012.
- [5] Armitage, D., and Wontner-Smith, T. Grain moisture-Guidelines for Measurement. HGCA-Funded Project, Caledonia House 223 Petronville Road London NI9HY. 2008.
- [6] Bobobee, E. No more fingertip shelling: The TEK groundnut cracker to the rescue; the International Journals of small-scale food processing, 30: 12-15. 2002.
- [7] Butts, C. L., Sorenseen, R. B., Nuti, R.C., Lamb, M. C., and Faircloth, W. H. Performance of equipment for in-field shelling of groundnut for biodiesel production. American society of agricultural and biological Engineering, 5295): 1461-1469. 2009.

- [8] Chinsuwan, Winit. Groundnut sheller project. Submited to International development research center (IDRC), KhonKaen University, department of agricultural Engineering, (Thailand) (File No. 3-80-0128, April, 1981-March, 1983).
- [9] Gamal, E., Radwan, S., ElAmir, M., and ElGamal, R. (2009). Investigating the Effects of Moisture Content on some Properties of Groundnut by aid of Digital Image Analysis. Food and Bio products Processing, 87: 273-281. 2009.
- [10] Geleta, T. Integrated management of groundnut root rot using seed quality. International Journal of Pest Management 4: 53-57. 2007.
- [11] Gitau, A. N. Optimizing the Performance of a manually operated groundnut (Arachishypogaea) decorticator. Open Journal of Optimization 2:1- 26. 2013.
- [12] Gitau, P. N., Mboya, N. K., and Njoroge, M. M. Optimizing the Performance of a Manually Operated Groundnut (Arachis hypogaea) Decorticator, scientific research. Open Journal of Optimization, 2013, pp.
- [13] Helmy, M. A., Mitrroi, A., Abdallah, S. E., and Basioury, M. A. Modification and Evaluation of a Reciprocating Machine for Shelling Groundnut. Misr Journal of Agricultural Engineering, 24(2): 283-298. 2007.
- [14] Ikechukwu, C.U., O.J. Okegbile, I.B. Ikechukwu; and R.J. Temitope. "Design and Development of Manually Operated Roasted Groundnut Seeds Peeling Machine". International Journal of Recent Development in Engineering and Technology. 2(4). April 2014, ISSN 2347 6435 (Online).
- [15] Kamboj, P., Singh, A., Kumar, M., and Din, S. Design and Development of Small Scale Pea Depoding Machine by using CAD Software. Agricultural Engineering International: CIGR Journal, 14(2): 40-48. 2012.
- [16] Karthik, G., Balashankar, D., Rambabu, G.,Nagabhnshanam, B.,LvsAkhil, A. N. Design and Fabrication of Groundnut Pods and Shell Stripper. International Journal of Engineering Trends and Technology, 58(2):60-64. 2018.
- [17] Madhusudhana, B. A survey on Area, productivity of groundnut crop in India. IOSR Journal of Economics and Finance, 1(3): 1-7. 2013.
- [18] Mangave, Santosh., and Bhagyesh, Deshmukh. Design of Portable Groundnut Sheller Machine. Department of mechanical engineering, WIT, Solapur. International Journal of Mechanical Engineering and Information Technology 3: 1125-1129. 2010.

- [19] Mungase, Pratima. G. Peanut Sheller using Screw Conveyor. International Journal of Mechanical Engineering and Information Technology 3: 1125-1129. 2016.
- [20] Nyaanga, D. M., Chemeli, M. C., and Wanbua, R. M. Development and testing of a portable hand-operated groundnut Sheller. Egerton Journal, 7(S): 117-130. 2007.
- [21] Pande, S. Disease management factors influencing yield and quality of sorghum and
- groundnut crop residues. Field Crops Research 84.1-2: 89-103. 2003.
- [22] Raghtate, Ashish. S., and Handa, C. C. Design and fabrication of groundnut Sheller machine. IJIRST–International Journal for Innovative Research in Science & Technology 1.7, 2014.
- [23] Siebenmorgan, T. J., Jia, C., Qin, G., and Scluterman. Evaluation of selected rice laboratory shelling equipment. American society of Agricultural and Biological Engineering, 22(3): 427-430. 2006.